

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 September 2004 (30.09.2004)

PCT

(10) International Publication Number
WO 2004/082404 A1

- (51) International Patent Classification⁷: **A23L 1/317**, 1/314
- (21) International Application Number: **PCT/GR2003/000045**
- (22) International Filing Date: 14 October 2003 (14.10.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
030100132 17 March 2003 (17.03.2003) GR
- (71) Applicant (for all designated States except US): **CRETA FARM ANONIMOS VIOMICHANIKI & EMPORIKI ETAIREIA** [GR/GR]; Prinos (Latzimas Locality), Municipality of Arkadi, GR-741 00 Rethymnon (GR).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **DOMAZAKIS, Emmanouil** [GR/GR]; 5 Moatsou Str., GR-741 00 Rethymnon (GR).
- (74) Agent: **TSIRIMONAKIS, Matthew**; Attorney at law, 53, Stournari Str., GR-104 32 Athens (GR).
- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BG, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HR, HU, ID, IL, IS, JP, KG, KZ, LT, LU, LV, MD, MK, NO, NZ, OM, PL, PT, RO, RU, SE, SK, TJ, TM, TR, UA, UG, US, UZ, YU.
- (84) Designated States (*regional*): Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).
- Declaration under Rule 4.17:**
— of inventorship (Rule 4.17(iv)) for US only
- Published:**
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PREPARATION METHOD FOR MINCED MEAT PRODUCTS, WITH ADDITION OF FETA TYPE CHEESE AND INCORPORATION OF OLIVE OIL

(57) Abstract: preparation method for minced meat products with the addition of feta dispersed throughout the product and the incorporation of olive oil, which involves the following stages: (a) mixing of meat with water, salt, breadcrumbs and plant fibres (b) addition of olive oil and mixing (c) addition of feta (d) mixing and refrigeration application with CO₂ (e) forming of the mixture (f) heat treatment and (g) deep-freezing of the product. Preparation method for minced meat products filled with a feta filling and incorporation of olive oil in an extruder type machine. The products prepared in line with the aforementioned methods have exceptional solidness, as far as structure is concerned, and retain the organoleptic characteristics of the feta contained in the products and the physical-chemical characteristics of the olive oil.

WO 2004/082404 A1

DESCRIPTION**Preparation method for minced meat products,
with addition of feta type cheese and incorporation of olive oil**

This invention concerns the preparation of minced meat products filled with feta type cheese or of minced meat products mixed with feta type cheese and has the following main characteristics:

1. The addition of the feta type cheese
2. The use of fat-free, skeletal muscle (meat)
3. The use of olive oil, in order to substitute part of the animal fat (fat tissue)
4. The addition of special auxiliary substances
5. The application of appropriate technological procedures and mechanisms developed with the aim of:
 - Achieving a solid meat pulp with or without a feta type cheese with a stable structure, which would be (a) capable of undergoing appropriate heat treatment, in order to incorporate feta into the emulsion's basic system which consists of muscles proteins, water, olive oil while retaining the solid composition of the feta after protein coagulation and (b) capable of creating, after heat treatment, a solid protein mesh, thus preventing the feta filling from seeping out.
 - Achieving the maximum possible conservation of the physical-chemical organoleptic and nutritional characteristics of the feta type cheese.
 - Using olive oil, in partial substitution of the ordinary addition of animal fat (fat tissue)
 - Achieving the maximum possible conservation of the organoleptic, physical-chemical and nutritional characteristics of the differentiating factor, olive oil

The name "feta" is registered as a protected designation of origin (PDO) to indicate the salted white cheese traditionally produced in Greece and in particular made with milk originating exclusively from the regions of Macedonia, Thrace, Sterea Ellada (Central Greece), the Peloponnese and the prefecture of Lesbos. The milk used for the production of feta should be sheep's milk or a mixture of sheep's milk and goats' milk. The milk's origin constitute a basic characteristic of the cheese produced, as it provides it with its organoleptic features – its flavour, aroma, colour and even structure and texture.

The solid incorporation of the animal and vegetable fat (fat globules) and of the additional material (feta pieces) into the meat pulp or into the filling of the product constitutes the technological aim of this invention, which is dealt with using well-known hyphenated techniques that favour the above and concern the adjustment of parameters, such as the special selection and preparation of meat, adjustment of the meat pulp pH, the amount of salt added, the use of auxiliary substances, the addition of olive oil, the treatment-preparation conditions of the meat pulp, heat treatment. and refrigeration of the finished product etc.

Many products on the international market, which have been accepted by the large majority of consumers, are based on the addition of the dairy products to meat-based products. Hard cheese (with a short or long maturity time) is primarily used for such products.

According to studies, it has been found that the fatty acid content differs in each kind of cheese and depends on the initial quality of the milk added, on the kind of milk (sheep's milk, cow's milk, goat's milk etc or the percentage of each kind that is added to the milk mixture), the maturation time and the preparation method. Moreover, it also depends on the geographical origin of the milk since local changes in the feedstuffs and in the type of animal diet followed affects the fatty acid content of the milk added to produce the cheese.

The flavour and the aroma, which characterise a certain kind of cheese, results from its maturity, that is the primary decomposition of lactose, fat and protein of the cheese and the secondary conversion of its products, through various fermentation procedures which they undergo during the maturation process of the cheese.

The distinctive flavour and the aroma of each kind of cheese does not result from a specific substance, but from a large number of substances, each one having different taste, but all together and relatively proportionately giving flavour to the cheese and in fact the final flavour which determines which kind of cheese it is. Moreover, from the fatty acids, it is acetic acid which gives an acidic flavour; and rancid butter and caproic, caprylic and capric acids which give a peppery flavour.

Feta is a semi-salted cheese with high acidity. Among the fatty acids contained in the product, acetic acid prevails, but when preparations made from the stomach of a sheep and a goat are included in the volatile enzymes used to coagulate the milk, then, fatty acids C6 – C10 strongly contribute to the cheese's flavour, by adding a peppery flavour. Typical feta made with sheep's milk has high ethanol, propanol and butanol content.

The structure of the cheese is a dense mesh of protein fibres differently cross-linked. The fat globules and whey are included in that mesh, that is the humidity and the water-soluble components of the cheese. Over the course of time, during the maturation process of the cheese, many protein fibre links break, releasing calcium and forming soft monocalcium paracaseinate and paracaseinate. The cheese undergoes an internal conversion and obtains its final structure and texture that can be characterised as soft, friable, granular etc.

Every kind of cheese is characterised by the proportion of amino acids, sulphide compounds, acid esters and fatty acids, which result from the proteolysis of the protein mesh.

The uniqueness of feta type cheese products, which have been protected by the Council of the European Union, and which as a cheese has been accepted by a large

majority of consumers as a tasty product rich in nutrients, was the reason why we conducted this study.

5 Nevertheless, the incorporation of oil, compared to the ordinary addition of pork fat, if attempted using classic techniques, gives rises to stability difficulties or the development of destabilizing tensions affecting not only the meat pulp emulsion, but also the final product, which displays the phenomenon of oil exudation.

10 Moreover, olive oil is a more particular case, as its role in human nutrition is discernible among seed oils and other vegetable oils and as it is also internationally acknowledged for the beneficial characteristics of its natural components (see Omega fatty acids and their protective role, low cholesterol levels, polyphenols and their role).

It is thus considered appropriate that:

15

On one hand, olive oil, as an ingredient replacing the animal fat, should be added to cooked/smoked meat preparations, under particularly protective conditions, in order to ensure the maximum possible transfer of its properties to the product.

20 On the other hand, through the incorporation procedure of the olive oil and the addition of feta, the traditional technical production of cooked and smoked meats should be ensured, by regularly considering scientific data based on the properties of the proteins, fats, oil and feta and on the properties of the link between them.

25 It should also be borne in mind that the solidness of "meat emulsions" is strongly affected by:

- The origin and composition of the fat to be incorporated
- The physical – chemicals such as
 - Profile of fatty acids (kind and degree of saturation)
 - 30 - SFI (solid fat index)
 - The relation between PUFA, MUFA / SUFA to the applicable temperatures at the various production stages.

It is obvious that technologically the differences between pork fat and olive oil should be considered seriously in the production of a solid emulsion.

35

During the study of this invention, we also took under consideration the following:

- The particularity of feta, in order to conserve its initial structure, flavour, aroma and composition (humidity and salt content), when added to the meat pulp, during heat treatment, so as to conserve its nutritional components, its structure and its organoleptic characteristics.
- 40 ▪ The microbial growth of feta which is different from that of meat, in order to avoid possible development of pathogenic micro-organisms and the increase of the total mesophilic flora in the meat to non-acceptable levels, where the heat treatment is not effective enough to ensure a safe product.

45

At critical production temperatures (0-4 °C and up to 71 °C), blast freezing temperatures (after heat treatment) and the temperatures at which it is then stored (0-4°C), its SFI plays an important role.

In the case of olive oil, its characteristics presuppose its incorporation under certain conditions, as follows:

- 5 - The creation of the maximum possible incorporation of the oil through mechanical processes (mixing, homogenisation of the participating components)
- 10 - The calculation of the ideal quantitative relationship between these components, in order to ensure the maximum possible absorption and conservation of the oil into the emulsion, as well as the maximum possible absorbance of additional water (relationship between fat and proteins, protein and water)
- 15 - The creation of a solid, impermeable protein mesh around the fat globules, without applying high temperatures to denature the proteins, through mechanical processes and under selected conditions of vacuum application and temperature, during the mixing and homogenisation – with the maximum possible dispersion and the maximum size of fat
- 20 globules.

In the case of feta, its characteristics presuppose its addition under certain conditions, as follows:

- 25 - The calculation of the ideal quantitative relationship between meat / water / olive oil / feta, in order to achieve the creation of a solid protein mesh in the meat pulp, capable of retaining feta pieces in the meat pulp or of preventing the feta filling from seeping out of the product during heat treatment.
- 30 - The creation of appropriate physical – chemical conditions (pH, water activity, salt content etc) applied to the product, in combination with the application of appropriate temperatures, during the stages of production, heat treatment, refrigeration (after heat treatment) and preservation, in order to prevent the development of undesired micro-
- 35 organisms (due to different microbial flora of the two products, meat and feta).
- 40 - The creation of a solid protein mesh of meat and feta, capable, after the application of mechanical processes – under selected conditions of vacuum application and temperature at the mixing and homogenisation, as well as after heat treatment and refrigeration of the product, of maintaining the initial structure, texture and flavour of feta to the maximum degree and the distinctive appearance of minced meat
- 45 products.

This invention aims at the production of meat-based products:

- By adding the feta type cheese

- By adding combined auxiliary substances
- By applying special technological processes, and
- By incorporating olive oil directly and at low temperature and by replacing the maximum possible quantity of animal fat

5

This has been achieved by mixing fat-free meat, in combination with the use of emulsifying additives, water, olive oil, plant fibres, breadcrumbs, salt, and the addition of feta.

10 Moreover, the solidness of the feta added to the aforementioned products is achieved by the combined use of heat treatment (time, temperature) and the size of the product. The heat transfer rate, during the mild heat treatment is such that it preserves the space lattice of the feta added.

15 Thus, this invention concerns minced meat products with feta and two production methods, the direct addition of feta to the meat pulp or the filling of the meat pulp with feta.

20 ▪ Finely chopped meat at a temperature of -2°C is mixed with water at 2°C in a mixing machine, while at the same time, salts are added. Then, the blend is mixed for 5 minutes and the plant fibres are added. When the temperature of the mixture rises to 0 °C, the olive oil, breadcrumbs and other seasonings are added. Mixing continues with the simultaneous vacuum application of 960 mBAR for 5 min, which firstly aims at freeing the oxygen captured in the mixture, in order to prevent oxidation and secondly at achieving the solidness of the emulsion (olive, water, meat), until the temperature of the mixture rises to 4°C. The total mixing time is 15 min and the absorbed power 20KW. The mixture is conveyed to the mincing machine, in order to obtain the desired shape of the minced meat products. Then, it is conveyed to the mixing machine, where feta cut into cubes of 1 x 1cm are added, while simultaneously vacuum mixing and refrigeration application with CO₂ take place, so that the temperature of the mixture, after being mixed, does not exceed 0°C. The CO₂ acts also as an inhibitory factor to the development of the product's microbial flora. The mixture is conveyed to the forming machine, where through the appropriate arrangements it is formed in line with the desired shape of the final product. The operating conditions of the forming machine in combination with the temperature of the meat pulp - feta (below -2°C) constitute a critical regulatory factor for preventing the feta pieces from being smashed. The heat treatment of products takes place directly after their forming, in a boiler at a room temperature of 96-99°C and relative humidity 95-96%. The length of time for which the product remains in the boiler depends on the geometrical characteristics of the product and varies between 5 to 15 minutes. Conveyors transfer the product right after heat treatment to a blast refrigeration tunnel at an ambient temperature of -28°C, so that the temperature of the product's core falls to 0°C.

45

- Finely chopped meat at a temperature of 2°C temperature is mixed with water at 2°C in a mixing machine, while salts are added. Then, mixing continues for 5 minutes and plant fibres are added. When the temperature of the mixture rises

to 0 °C, the olive oil, breadcrumbs and other seasonings are added. Mixing continues with the simultaneous vacuum application of 960 mBAR for 5 min, which aims firstly at freeing the oxygen captured in the mixture, in order to prevent oxidation, and secondly at achieving the solidness of the emulsion (olive, water, meat), until the temperature of the mixture rises to 4°C. The total mixing time is 10 min and the absorbed power 20KW. This is followed by a drop in the mixture's temperature by channelling and releasing CO₂ as a refrigerant, until the mixture's temperature falls -2°C. The CO₂ acts also as an inhibitory factor to the development of the product's microbial flora. The mixture and the feta are conveyed to an extruder type forming machine, where through the appropriate arrangements it is formed in line with the desired shape of the final product. The operating conditions of the forming machine in combination with the temperature of the meat pulp - feta (below -2°C) constitute a critical regulatory factor, in order to prevent the meat pulp mesh from breaking during product forming – filling and the feta filling from seeping out during heat treatment. Heat treatment of products takes place directly after the forming in a boiler at an ambient temperature of 96-99°C and relative humidity 95-96%. The length of time for which the product remains in the boiler depends on the geometrical characteristics of the product and varies between 5 to 15 minutes. Conveyors transfer the product right after the heat treatment to a blast refrigeration tunnel at an ambient temperature of -28°C, so that the temperature of the product's core falls to -0°C.

Minced meat products with feta and olive oil, considered under this invention, have an exceptional solidness (cohesion) as far as their structure is concerned, due to the use of fat-free meat, the application of low temperatures and vacuum production. The physical-chemical characteristics of olive oil and the organoleptic characteristics of feta contained in the products remain unaltered, due to the low temperatures applied during the production procedure.

CLAIMS**Preparation method for minced meat products,
with addition of feta type cheese and incorporation of olive oil**

1. Preparation method for minced meat products, which is characterised by the addition of the feta type cheese dispersed throughout the product and the incorporation of olive oil.

5

This method includes the following stages:

- (a) Mixing of the meat at a temperature of -2°C temperature with H₂O at 2°C, salt, plant fibres and breadcrumbs
- 10 (b) Addition of olive oil
- (c) Mixing then continues, with simultaneous vacuum application for 5 min until the product temperature rises to 4°C.
- (d) Addition of feta
- 15 (e) Vacuum mixing and refrigeration application with CO₂, until total distribution of feta throughout the meat pulp and a final temperature of -2°C.
- (f) The mixture is conveyed to the forming machine, where it is formed in line with the desired shape and then mild heat treatment follows in a linear boiler.
- 20 (g) After heat treatment the product is deep-frozen in a tunnel, until the core temperature reaches 0°C
2. The total duration of the heat treatment mentioned in claim (1) depends on the geometrical characteristics of the final product and varies between 5 and 15 minutes.
- 25 3. Preparation method of meat-based products, characterised by the addition of the dairy product "feta", as a filling, and the incorporation of olive oil, in line with claims (1) and (2), excluding stages (e) and (f) of claim (1) and by replacing them with the following
- 30 (f) Then the meat pulp and the feta are separately conveyed to the extruder type forming machine, where the product is formed and filled in line with the desired shape and a mild heat treatment in a linear boiler follows.
4. Minced-meat products with the addition of the feta type cheese dispersed throughout the product and with the incorporation of olive oil, produced under the methods mentioned in claims (1) and (2)
- 35 5. Minced-meat products with the addition of the feta type cheese as a filling and with the incorporation of olive oil, produced under the methods mentioned in claims (2) and (3)

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GR 03/00045

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 A23L1/317 A23L1/314

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 7 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 93 19 934 U (ALBERT KLEINEMAS FLEISCHWAREN) 26 January 1995 (1995-01-26) claims; examples	1-5
A	DE 22 10 500 A (PLETSCH BERTHOLD) 20 September 1973 (1973-09-20) claims; examples	1-5
A	DE 27 56 885 A (ALIVAR SPA) 29 June 1978 (1978-06-29) claims; examples	1-5
A	PATENT ABSTRACTS OF JAPAN vol. 012, no. 491 (C-554), 21 December 1988 (1988-12-21) -& JP 63 202359 A (SNOW BRAND MILK PROD CO LTD), 22 August 1988 (1988-08-22) abstract	1-5
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

6 February 2004

Date of mailing of the international search report

17/02/2004

Name and mailing address of the ISA
 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Boddaert, P

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/GR 03/00045

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 37 26 204 C (GEWUERZINDUSTRIE WIBERG BERGER) 19 January 1989 (1989-01-19) claims; examples ---	1-5
A	EP 0 505 797 A (GELDERLANDER FLEISCHWARENGESEL) 30 September 1992 (1992-09-30) the whole document ---	1-5
A	FR 2 786 666 A (MORITZ FINANCE) 9 June 2000 (2000-06-09) the whole document ---	1-5
A	US 2003/049364 A1 (DOMAZAKIS EMMANOUIL) 13 March 2003 (2003-03-13) the whole document ---	1-5
A	PATENT ABSTRACTS OF JAPAN vol. 015, no. 173 (C-0828), 2 May 1991 (1991-05-02) -& JP 03 039030 A (MINAMINIHON HAM KK), 20 February 1991 (1991-02-20) abstract ---	1-5
A	PATENT ABSTRACTS OF JAPAN vol. 011, no. 282 (C-446), 11 September 1987 (1987-09-11) -& JP 62 079757 A (ITO HAM KK), 13 April 1987 (1987-04-13) abstract -----	1-5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GR 03/00045

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 9319934	U	26-01-1995	DE 9319934 U1	26-01-1995
DE 2210500	A	20-09-1973	DE 2210500 A1	20-09-1973
DE 2756885	A	29-06-1978	BE 862256 A1	14-04-1978
			DE 2756885 A1	29-06-1978
			LU 78767 A1	17-04-1978
JP 63202359	A	22-08-1988	JP 1861468 C	08-08-1994
			JP 5079300 B	02-11-1993
DE 3726204	C	19-01-1989	DE 3726204 C1	19-01-1989
EP 0505797	A	30-09-1992	DE 4130448 A1	01-10-1992
			AT 114218 T	15-12-1994
			DK 505797 T3	06-02-1995
			EP 0505797 A1	30-09-1992
			ES 2065089 T3	01-02-1995
FR 2786666	A	09-06-2000	FR 2786666 A1	09-06-2000
US 2003049364	A1	13-03-2003	GR 1003784 B1	30-01-2002
			CA 2438543 A1	29-08-2002
			EP 1361804 A1	19-11-2003
			WO 02065860 A1	29-08-2002
JP 03039030	A	20-02-1991	NONE	
JP 62079757	A	13-04-1987	JP 1920554 C	07-04-1995
			JP 5025464 B	13-04-1993